



RENTAL LED SCREEN



INDOOR OUTDOOR RENTAL WR391 SERIES



Indoor/Outdoor	P1.5GOB P1.9GOB P2.6GOB P2.9GOB P3.9GOB
Interactive	P2.6GOB P2.9GOB P3.9GOB
Dimension	500x500/ 500x1000mm
Contrast Ratio	15000:1
Grayscale	18Bit
Brightness	Indoor: 1000nits Outdoor: 4500nits
Weight	7.25/14.2 Kgs
Refresh rate	3840/7680Hz
Visual angle	160°/160°



VR/XR Round Stage



VR/ XR 3D Stage

INDOOR OUTDOOR RENTAL OR391 SERIES



Indoor/outdoor	P1.5GOB P1.9GOB P2.6 P2.9 P3.9
Dimension	500x500
Contrast Ratio	15000:1
Grayscale	18Bit
Brightness:Indoor	1000nits Outdoor: 4500nits
Weight	6.8Kgs
Refresh rate	3840/7680Hz
Visual angle	1920Hz
Visual angle	160°/160°

Cabinet with curve locks can make your screen get smoothly inner and outer curve






Every details are perfect


Super seamless connection

FAST ASSEMBLY


There are 2 fast lock each side for panel, quick operation also ensuring the flatness the whole screen



XR Work Flow



★ LED ROLLING SCREEN LR01 SERIES




Indoor/Outdoor	P0.9 P1.25 P1.56 P1.95 P2.6 P3.91
Dimension	500x62.5x14mm
IP Grade	IP65/IP41
Grayscale	12-16Bit
Brightness	500-800cd/m ²
Features	Rolling Wall & Rolling Floor
Weight	16KG
Refresh rate	3840Hz
Visual angle	140°/140°



1 Roll



9 Rolls



Application II - Carpet screen

The carpet screen is easy to install, like laying a carpet, and can replace the traditional floor screen. Compared with the traditional floor screen, the carpet screen has no PC mask and no splicing gap, which has a better display effect, better flatness and integrity.




Pixel Pitch: P0.9, P1.2, P1.5, P1.9, P2.6, P3.9

★ CURVE RENTAL CR500 SERIES




Indoor/Outdoor	P1.5GOB P1.9GOB P2.6 P2.9 P3.9
Dimension	500x500
Contrast Ratio	15000:1
Grayscale	18Bit
Brightness	Indoor: 1000nits : Outdoor: 4500nits
Features	90Curve Panels / Curve panels
Weight	6.8Kgs
Refresh rate	3840/7680Hz
Visual angle	160°/160°



Versatile Shapes Available




S



Right angle



Flat




Circle

NEVER BLACK RENTAL NBL01 SERIES




Indoor/outdoor	P1.5GOB P1.9GOB P2.6 P2.9 P3.9
Dimension	500x500
Contrast Ratio	15000:1
Grayscale	18Bit
Brightness	Indoor: 1000nits Outdoor: 4500nits
Weight	6.8Kgs
Refresh rate	3840/7680Hz
Visual angle	160°/160°




Never Black Screen

Even Current Backup for Power Supply



Quickly solve the power failure of the power box without disassembly.


When a power failure, power cord failure or aviation plug failure occurs, the adjacent cabinets will share the output current to make the screen display normally.



- ➔ AC Power Input
- ⊗ Power Failure
- ➔ Power Sharing Function

Never Black Screen

COB INDOOR RENTAL CR01 SERIES



Indoor	P0.97 P1.3 P1.95 P2.6
Dimension	500x500mm
IP Grade	IP30
Grayscale	16Bit
Brightness	1200nits
Features	COB Packaging Technology
Weight	7.5KG
Refresh rate	7680Hz
Visual angle	170°/170°



Front side View



Back side View




COB OUTDOOR RENTAL CR02 SERIES




Outdoor	P1.56 P1.95
Dimension	500x500mm
IP Grade	IP65
Grayscale	16~20Bit
Brightness	3000nits
Features	COB Packaging Technology
Weight	9.5KG
Refresh rate	3890Hz
Visual angle	140°/140°




★ TRANSPARENT RENTAL TR500 SERIES




Indoor/Outdoor	P1.5GOB P1.9GOB P2.6 P2.9 P3.9
Dimension	500x500
Contrast Ratio	15000:1
Grayscale	18Bit
Brightness	Indoor: 1000nits Outdoor: 4500nits
Weight	6.8Kgs
Refresh rate	3840/7680Hz
Visual angle	160°/160°




★ DANCE FLOOR DFS01 SERIES



Indoor/Outdoor	P1.98
Dimension	500x500x12mm
IP Grade	IP65
Grayscale	16Bit
Brightness	1500nits
Features	COB Packaging Technology
Weight	13.9KG
Refresh rate	3840Hz
Visual angle	170°/160°



★ DANCE FLOOR DFS02 SERIES



Indoor/Outdoor	P1.5GOB P1.9GOB P2.6 P2.9 P3.9
Dimension	500x500
Contrast Ratio	15000:1
Grayscale	18Bit
Brightness	Indoor: 1000nits Outdoor: 4500nits
Weight	6.8Kgs
Refresh rate	3840/7680Hz
Visual angle	160°/160°

Wearproof and Large Loading Capacity

High strength wearproof and anti-skidding, with strong impact-resistance and large loading capacity 2t, people can move, bounce and dance above the led screen freely.

